

SG-UAVN-T25(T)

- 640x480 Thermal Drone Camera with Network output



1. Features

- > 3-axis stabilized Pan-Tilt, High precision: $\pm 0.01^\circ$
- > Support GPS info Overlay.
- > Support smart Auto-Tracking
- > Support Network, S.BUS and Serial port control mode.

Thermal Camera


- > 640x480 Resolution, high sensitivity sensor
- > 17um Pixel pitch.
- > 25mm Fixed Thermal Lens
- > SG-UAVNH-T50T can support Temperature measurement function

2. Specification

Model		SG-UAVN-T25	SG-UAVN-T25T
Thermal Camera			
Sensor	Image Sensor	Uncooled aSi Microbolometer	
	Resolution	640 x 480	
	Pixel Size	17 μ m	
	Sensitivity	$\leq 50\text{mk}@25^\circ\text{C}$	
Lens	Focal Length	25mm, F1.0	
	Focus	Athermalized, Focus-free	
	Angle of View	24.5°x18.5°	

Temperature measurement	Measurement Range	N/A	-20°C~200°C (Expandable -20°C ~+500°C, 2 levels)
	Measurement Accuracy	N/A	±2 °C or ±2% (Take large values)
	Measurement Tools	N/A	Display and track the Highest and Lowest temperature. Display the Center Point and Average temperature; Save global temperature data, and point temperature measurement.
Video			
Video Output		Network	
Video Stream		Network: 25fps@640x480	
Storage		TF card (128 GB), could save video(.avi) and picture(.jpeg)	
Pan-Tilt Gimbal			
Angular Vibration Range		±0.01°	
Pitch		+90°~-15°	
Roll		±40°	
Yaw		360° endless	
Stabilization		Support	
Control Mode		Network, S.BUS and TTL Serial port control	
Auto Tracking		Support	
Tracking Mode		Support network protocol and TTL serial protocol	
Condition			
Operating Conditions		-20°C~+60°C/20% to 80%RH	
Storage Conditions		-40°C~+80°C/20% to 95%RH	
Working Voltage		DC 12V~24V	
Working Current		Dynamic: 600mA(@12V), Static: 150mA(@12V)	
Dimensions(L*W*H)		Approx. 110mm*106mm*147mm	
Weight		Approx. 400g	

3. Dimension



Hangzhou Savgood Technology Co., Ltd.

Rm. 701, Xincheng Fazhan Building #1, No. 406 Xintiandi Street,
Xiacheng District, Hangzhou City, 310004, China
Tel: +86 - (571) 8803 8121
Email: sales@savgood.com
<http://www.savgood.com>
<http://www.savgoodtech.com>

*Design and specifications are subject to change without prior notification.
© 2013 Savgood Technology Co., Ltd.